


Spare Parts

NAVIC KIT

CXG023-




BOM ID	Part #	Description
1	AAS061	Installation/removal mat
2	EA470	10 mm (3/8 in) wrench
3	EA480	3 mm (0.118 in) flat driver
4	EA414	3 mm (0.118 in) hex driver
5	UMA017-06	Auxiliary cable
6	UMA030-	Umbilical (various lengths available)
7	CXA009	Lifting sling
8	JP069	Plug: Lemo Receptacle, 10 mm
9	JP070	Plug: Lemo Receptacle, 12 mm
10	CX0174	Plug
11	CXS066	Cap: NAVIC hinge cover
12	CMG009-	Irrigation kit, 2-4 probe, large tube (various lengths available)
13	UMA025-	J300 Encoder cable (see Encoder Connector Type)

Spare Parts

■ NAVIC KIT

CXG023-



BOM ID	Part #	Description
1	CXA040	Power controller <i>(see Power Cord Type)</i>
2	DY0011	Rubber bumper
3	CXS122	Power supply
4	DM0067-L	Handheld controller bumper <i>(left)</i>
5	DM0067-R	Handheld controller bumper <i>(right)</i>
6	DMS005	Handheld controller magnet holder
7	DMA006	Handheld controller

Spare Parts

NAVIC KIT




Encoder Connector Type

Connector Type	Company/Instrument	Connector Type	Company/Instrument
B	Olympus OmniScan MX Zetec Topaz	G	Sonotron Isonic 25xx
C	Olympus Focus LT Zetec Z-Scan Eddyfi Ectane 2	U	Sonatest Veo / Prisma
E	Olympus OmniScan SX/MX2/X3 M2M MANTIS/GEKKO LEMO	V	Pragma PAUT
F	TD (<i>Technology Design</i>)	AD	Sonatest Veo / Prisma - Single Axis

NOTE: Additional encoder connector types available. Contact JIREH for more information.

Power Cord Type


Connector Type	Power Cord	Connector Type/ Part #	Power Cord
N SL032	North American	U SL059	United Kingdom
E SL039	European	Z	No Cord



Spare Parts




NAVIC KIT

Cable Management



BOM ID	Part #	Description
1	CXS046-X	Cable Management, Threaded Mount (<i>see Cable Management Sleeving, Length</i>)
2		<i>see Cable Management Sleeving</i>
3	CES066	Cable management clamp
4	CXS073	Cable management mount, threaded mount

Cable Management Sleeving

Length	Part #	Description	
04.5	CX0141	4.5 m (14.8 ft)	
09.5	CX0145	9.5 m (31.2 ft)	
14.5	CX0146	14.5 m (47.6 ft)	
29.5	CX0147	29.5 m (96.8 ft)	